

1


2

3


4

REV.	CHANGGE DESCRIPTION	DATE
A	New Issue	2022-8-30

### 1. MECHANICAL DIMENSIONS :



### 2. SCHEMATIC DIAGRAM:



### 3. ELECTRICAL REQUIREMF @ 25°C

1. COMMON MODE IMPEDANCE:  $280\ \Omega \pm 25\%$  @100MHz
2. RATED CURRENT: 600mA MAX
3. DC RESISTANCE:  $0.30\ \Omega$  MAX
4. IR:  $10M\ \Omega$  Min
5. WITHSTAND VOLT: 50Vdc
6. OPERATING TEMPERATURE: -25 TO +85°C

NOTE. DIMENSIONS:MM (INCHES) /UNLESS OTHERWISE SPECIFIED ALL TOLERANCES ARE  $\pm 0.30$  (0.012).

## RoHS Compliant

# TAG

 ECO TECH CO., LTD.

A4  
SIZE

TAG PART NO.:  
CM301815-281-4L

VENDOR PART NO.:

Drawn: Xue Zhang

Designed: Tian Yang

Approved: Deane

Date: 2022-8-30

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF TAG TECHNOLOGY CO., LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.

THIRD ANGLE  
PROJECTION

DESCRIPTION:  
COMMON MODE CHOKE

UNIT	mm [inch]	USED ON	
SHEET	1 OF 1	REV.	A

1

2

3

4